ELSEVIER

www.elsevier.nl/locate/carres

CARBOHYDRATE RESEARCH

Carbohydrate Research 328 (2000) 655–659

Contents of Volume 328

Special Issue
Carbohydrate Chemistry: Developments for the New Millennium
Edited by D.C. Baker

v Graphical Abstracts

1 Foreword

Full papers

Fengyang Yan, Warren W. Wakarchuk, Michel Gilbert, James C. Richards, Dennis M. Whitfield (Ottawa, Canada) 3 Polymer-supported and chemoenzymatic synthesis of the *Neisseria meningitidis* pentasaccharide: a methodological comparison

Joel M. Harris, Mark D. Keränen, Hang Nguyen, Victor G. Young, George A. O'Doherty (Minneapolis, MN, USA) 17 Syntheses of four D- and L-hexoses via diastereoselective and enantioselective dihydroxylation reactions

Joon H. Hong, Mu-Yun Gao, Yongseok Choi (Athens, GA, USA), Yung-Chi Cheng (New Haven, CT, USA), Raymond F. Schinazi (Decatur, GA, USA), Chung K. Chu (Athens, GA, USA) 37 Synthesis of novel 3′-*C*-methyl-apionucleosides: an asymmetric construction of a quaternary carbon by Claisen rearrangement

Byoung K. Chun (Athens, GA, USA), Raymond F. Schinazi (Decatur, GA, USA), Yung-Chi Cheng (New Haven, CT, USA), Chung K. Chu (Athens, GA, USA) 49 Synthesis of 2′,3′-dideoxy-3′-fluoro-L-ribonucleosides as potential antiviral agents from D-sorbitol

Peter H. Seeberger, Susanne Roehrig, Peter Schell (Cambridge, MA, USA), Yuan Wang, William J. Christ (Andover, MA, USA) 61 Selective formation of C-2 azidodeoxy-D-glucose derivatives from D-glucal precursors using the azidonitration reaction

Yili Ding (Meylan, France), Sefik S. Alkan (Basel, Switzerland), Gerhard Baschang (Basel, Switzerland), Jacques Defaye (Meylan, France) 71 Synthesis of the HSA-conjugate of the *S*-linked thiomimetic of the branched tetrasaccharide repeating unit of the immunostimulant polysaccharide, schizophyllan. Evaluation as potential immunomodulator

Zebo Huang, Todd Prickett, Malcolm Potts, Richard F. Helm (Blacksburg, VA, USA) 77 The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis

iii Graphical Abstracts

Full Papers

Kyoko Fukunaga (Gifu, Japan), Katsumi Shinoda (Tokyo, Japan), Hideharu Ishida, Makoto Kiso (Gifu, Japan) 85 Systematic synthesis of sulfated sialyl-α-(2→3)-neolactotetraose derivatives and their acceptor specificity for an α-(1→3)-fucosyltransferase (Fuc-TVII) involved in the biosynthesis of L-selectin ligand

Santiago Figueroa-Pérez, Richard R. Schmidt (Konstanz, Germany) 95 Total synthesis of α-galactosyl cerebroside

Anindita Mukhopadhyay (Bombay, India), Erkki Kolehmainen (Jyvaskyla, Finland), Chebrolu P. Rao (Bombay, India) 103 Interaction of saccharides with rare earth metal ions: synthesis and characterisation of Pr(III)– and Nd(III)–saccharide complexes

Miroslav Kooš, Bohumil Steiner (Bratislava, Slovak Republic), Vratislav Langer (Gothenburg, Sweden), Dalma Gyepesová, Marián Ďurík (Bratislava, Slovak Republic) 115 Preparation and structure determination of two sugar amino acids via corresponding hydantoin derivatives

Sophie Monge, Jimmy Sélambarom, Francis Carré, Jean Verducci, Jean-Pierre Roque, André A. Pavia (Montpellier, France) 127 Anomeric effects in non-carbohydrate compounds: conformational differences between the oxazolidine rings of a cis-fused bicyclic system

Areti Kokkinou, Stella Makedonopoulou, Dimitris Mentzafos (Athens, Greece) 135 The crystal structure of the 1:1 complex of β-cyclodextrin with *trans*-cinnamic acid

Karel Grohmann, John A. Manthey, Randall G. Cameron (Winter Haven, FL, USA) 141 Acid-catalyzed hydrolysis of hesperidin at elevated temperatures

Jie Xia, James L. Alderfer, Conrad F. Piskorz, Robert D. Locke, Khushi L. Matta (Buffalo, NY, USA) 147 A convergent synthesis of trisaccharides with α-Neu5Ac-(2→3)-β-D-Gal-(1→4)-β-D-GlcNAc and α-Neu5Ac-(2→3)-β-D-Gal-(1→3)-α-D-GalNAc sequences

Thomas A. Waigh (Cambridge, UK), Michael J. Gidley (Bedford, UK), Bernard U. Komanshek (Warrington, UK), Athene M. Donald (Cambridge, UK) 165 The phase transformations in starch during gelatinisation: a liquid crystalline approach

Sabine Baumgartner (Tulln, Austria), Thomas G. Dax (Linz, Austria), Werner Praznik (Tulln, Austria), Heinz Falk (Linz, Austria) 177 Characterisation of the high-molecular weight fructan isolated from garlic (*Allium sativum* L.)

Alexander Oosterveld, Gerrit Beldman, Henk A. Schols, Alphons G.J. Voragen (Wageningen, The Netherlands) 185 Characterization of arabinose and ferulic acid rich pectic polysaccharides and hemicelluloses from sugar beet pulp

Alexander Oosterveld, Gerrit Beldman, Alphons G.J. Voragen (Wageningen, The Netherlands) 199 Oxidative cross-linking of pectic polysaccharides from sugar beet pulp

Maximiliano S. Zierer, Paulo A.S. Mourão (Rio de Janeiro, Brazil) 209 A wide diversity of sulfated polysaccharides are synthesized by different species of marine sponges

Joseph H. Reibenspies, Dawn Kirby Maynard, Agnes Derecskei-Kovacs, Gyula Vigh (College Station, TX, USA) 217 Crystal structures of heptakis(2,6-di-*O*-*tert*-butyldimethylsilyl)cyclomaltoheptaose, heptakis(2-*O*-methyl-3,6-di-*O*-*tert*-butyldimethylsilyl)cyclomaltoheptaose and heptakis(2-*O*-methyl)cyclomaltoheptaose

Notes

Andrei V. Perepelov, Sof'ya N. Senchenkova (Moscow, Russia), Agnieszka Torzewska, Beata Bartodziejska (Lodz, Poland), Aleksander S. Shashkov (Moscow, Russia), Antoni Rozalski (Lodz, Poland), Yuriy A. Knirel (Moscow, Russia) 229 Structure of an O-acetylated acidic O-specific polysaccharide of *Proteus vulgaris* O46

Neil M. Rigby, Alistair J. MacDougall, Stephen G. Ring, Paul Cairns, Victor J. Morris, Paul A. Gunning (Colney, UK) 235 Observations on the crystallization of oligogalacturonates

Keiichi Noguchi, Kenji Okuyama (Tokyo, Japan), Shigeru Ohno (Chiba, Japan), Tetsuhiro Hidano (Asahikawa, Japan), Nariaki Wakiuchi, Tomoko Tarui, Hajime Tamaki, Shiro Kishihara, Satoshi Fujii (Kobe, Japan) 241 Molecular and crystal structure of galactinol dihydrate [1-*O*-(α-D-galactopyranosyl)-*myo*-inositol dihydrate]

iii Graphical Abstracts

Rapid Communication

Dorota Bednarczyk (Gdańsk, Poland), Wiesław Kaca (Łódź, Poland), Henryk Myszka (Gdańsk, Poland), Lilianna Serwecińska (Łódź, Poland), Zygfryd Smiatacz (Gdańsk, Poland), Andrzej Zaborowski (Łódź, Poland) 249 The synthesis of diosgenyl 2-amino-2-deoxy-β-D-glucopyranoside hydrochloride

Full papers

Xiao-Min Chen, Zhan-Jiang Li, Zhi-Tang Huang (Beijing, People's Republic of China)	253	Highly stereoselective α-O-glucosylation of heterocyclic ketene aminals
Yuki Ohnishi, Hiromune Ando, Tsubasa Kawai, Yoshiaki Nakahara, Yukishige Ito (Saitama, Japan)	263	Synthesis of a novel asparagine-linked heptasaccharide structure via *p*-methoxybenzyl-assisted β-mannosylation
Dawn Kirby Maynard, Gyula Vigh (College Station, TX, USA)	277	Synthesis and analytical characterization of the sodium salt of heptakis(2-*O*-methyl-3,6-di-*O*-sulfo)cyclomaltoheptaose, a chiral resolving agent candidate for capillary electrophoresis
David J. Owen, Mark von Itzstein (, Australia)	287	A one-pot synthesis of novel *N*,*N*-dialkyl-*S*-glycosylsulfenamides
Erzsébet Farkas, Joachim Thiem (Hamburg, Germany), Katsumi Ajisaka (Odawara, Japan)	293	Enzymatic synthesis of fucose-containing disaccharides employing the partially purified α-L-fucosidase from *Penicillium multicolor*
Valérie Pasqualetto, Stéphanie Lemaire, Dominique Neel, Michèle Aubery (Paris, France), Eric G. Berger (Zurich, Switzerland), Christian Derappe (Paris, France)	301	Phorbol ester treatment of HL 60 leukemia cells results in increase of β-(1→4)-galactosyltransferase
Mark Rozenberg, Aharon Loewenschuss, Yizhak Marcus (Jerusalem, Israel)	307	Infrared spectra and hydrogen bonding of pentitols and pyranosides at 20 to 300 K
Christopher Jones (South Mimms, UK), José O. Previato, L. Mendonça-Previato (Rio de Janeiro, Brazil)	321	NMR assignments for glucosylated and galactosylated *N*-acetylhexosaminitols: oligosaccharide alditols related to O-linked glycans from the protozoan parasite *Trypanosoma cruzi*
Young-Teck Kim (Seoul, South Korea), Eun-Hee Kim, Chaejoon Cheong (Taejon, South Korea), David L. Williams (Johnson City, TN, USA), Chan-Wha Kim, Seung-Taik Lim (Seoul, South Korea)	331	Structural characterization of β-D-(1→3, 1→6)-linked glucans using NMR spectroscopy
Karine Glinel, Jean Paul Sauvage, Hassan Oulyadi, Jovenka Huguet (Mont-Saint-Aignan, France)	343	Determination of substituents distribution in carboxymethylpullulans by NMR spectroscopy
Petter L. Bragd, Arie C. Besemer (Zeist, The Netherlands), Herman van Bekkum (Delft, The Netherlands)	355	Bromide-free TEMPO-mediated oxidation of primary alcohol groups in starch and methyl α-D-glucopyranoside
Sara Richardson, Gunilla S. Nilsson, Karl-Erik Bergquist, Lo Gorton (Lund, Sweden), Petra Mischnick (Braunschweig, Germany)	365	Characterisation of the substituent distribution in hydroxypropylated potato amylopectin starch
Anders Broberg, Karl Kristian Thomsen, Jens Ø. Duus (Valby, Denmark)	375	Application of nano-probe NMR for structure determination of low nanomole amounts of arabinoxylan oligosaccharides fractionated by analytical HPAEC-PAD
Kelei Zhuo (Gansu, PR China), Jianji Wang, Yongkui Yue (Henan, PR China), Hanqing Wang (Gansu, PR China)	383	Volumetric properties for the monosaccharide (D-xylose, D-arabinose, D-glucose, D-galactose)–NaCl–water systems at 298.15 K
Yong-Hoon Choi, Chul-Hak Yang (Seoul, South Korea), Hyun-Won Kim (Wonju, South Korea), Seunho Jung (Seoul, South Korea)	393	Monte Carlo simulations of the chiral recognition of fenoprofen enantiomers by cyclomaltoheptaose (β-cyclodextrin)
Thammarat Aree, Helga Hoier, Burkhard Schulz, Günter Reck, Wolfram Saenger (Berlin, Germany)	399	Crystal structure of octakis(2,3,6-tri-*O*-methyl)-γ-cyclodextrin·4.5 H_2O: evidence for conformational flexibility of permethylated cyclodextrins
Somer Bekiroglu, Corine Sandström, Thomas Norberg, Lennart Kenne (Uppsala, Sweden)	409	Hydroxy protons in conformational study of a Lewis b tetrasaccharide derivative in aqueous solution by NMR spectroscopy

Notes

M. Teresa Barros, Christopher D. Maycock, Christine Thomassigny (Oeiras, Portugal)	419	Preparation of sucrose heptaesters unsubstituted at the C-1 hydroxy group of the fructose moiety via selective *O*-desilylation
Derek Horton (Washington, DC, USA), Oscar Varela (Buenos Aires, Argentina)	425	Cu, Pt, and Pd complexes of the 3-deoxy-1,2-bis(thiosemicarbazone) derived from D-glucose

Robert M. Cicchillo, Peter Norris (Youngstown, OH, USA) 431 A convenient synthesis of glycosyl chlorides from sugar hemiacetals using triphosgene as the chlorine source

Antonio Molinaro (Naples, Italy), Antonio Evidente (Portici, Italy), Rosa Lanzetta, Michelangelo Parrilli (Naples, Italy), Astolfo Zoina (Portici, Italy) 435 O-specific polysaccharide structure of the aqueous lipopolysaccharide fraction from *Xanthomonas campestris* pv. *vitians* strain 1839

Andrei V. Perepelov, Sof'ya N. Senchenkova (Moscow, Russia), Maciej Cedzynski, Andrzej Ziolkowski (Lodz, Poland), Evgeny V. Vinogradov (Moscow, Russia), Wieslaw Kaca (Lodz, Poland), Aleksander S. Shashkov, Yuriy A. Knirel (Moscow, Russia) 441 Isolation using triflic acid solvolysis and identification of N^{ε}-[(*R*)-1-carboxyethyl]-N^{α}-(D-galacturonoyl)-L-lysine as a component of the O-specific polysaccharide of *Proteus mirabilis* O13

iii Graphical Abstracts

Rapid Communication

Pas Florio, Robin J. Thomson, Mark von Itzstein (Parkville, Vic., Australia) 445 Rapid access to uronic acid-based mimetics of Kdn2en from D-glucurono-6,3-lactone

Full papers

Annemieke W. Heinen, Joop A. Peters, Herman van Bekkum (Delft, The Netherlands) 449 Hydrogenation of fructose on Ru/C catalysts

Christian Gege (Konstanz, Germany), Willy Kinzy (Basel, Switzerland), Richard R. Schmidt (Konstanz, Germany) 459 Total synthesis of the natural antigen involved in the hyperacute rejection response to xenotransplants

Gabriela Pistia, Rawle I. Hollingsworth (East Lansing, MI, USA) 467 A general approach to the synthesis of dideoxy and trideoxyiminoalditols from β-D-glycosides

John N. Barlow, John S. Blanchard (Bronx, NY, USA) 473 Enzymatic synthesis of UDP-(3-deoxy-3-fluoro)-D-galactose and UDP-(2-deoxy-2-fluoro)-D-galactose and substrate activity with UDP-galactopyranose mutase

Miriam A. Martins Alho, Norma B. D'Accorso (Buenos Aires, Argentina) 481 Behavior of free sugar thiosemicarbazones toward heterocyclization reactions

Richard I. Duclos, Jr. (Boston, MA, USA) 489 The total synthesis of ganglioside GM3

Yeon-Kye Kim, John F. Robyt (Ames, IA, USA) 509 Enzyme modification of starch granules: formation and retention of cyclomaltodextrins inside starch granules by reaction of cyclomaltodextrin glucanosyltransferase with solid granules

Kouki Matsuo, Emiko Isogai, Yoshio Araki (Hokkaido, Japan) 517 Occurrence of [→3)-β-D-Man*p*-(1→4)-β-D-Man*p*-(1→]$_n$ units in the antigenic polysaccharides from *Leptospira biflexa* serovar patoc strain Patoc I

Mattias Bårström, Mia Bengtsson, Ola Blixt, Thomas Norberg (Uppsala, Sweden) 525 New derivatives of reducing oligosaccharides and their use in enzymatic reactions: efficient synthesis of sialyl Lewis a and sialyl dimeric Lewis x glycoconjugates

Evgeny Vinogradov (Ottawa, Ont., Canada), Maciej Cedzynski, Antoni Rozalski, Andrzej Ziolkowski, Anna Swierzko (Lodz, Poland) 533 The structure of the carbohydrate backbone of the core–lipid A region of the lipopolysaccharide from *Proteus vulgaris* serotype O25

Carel T.M. Fransen, Simon R. Haseley (Utrecht, The Netherlands), Miranda M.H. Huisman, Henk A. Schols, Alphons G.J. Voragen (Wageningen, The Netherlands), Johannis P. Kamerling, Johannes F.G. Vliegenthart (Utrecht, The Netherlands) 539 Studies on the structure of a lithium-treated soybean pectin: characteristics of the fragments and determination of the carbohydrate substituents of galacturonic acid

Carel T.M. Fransen (Utrecht, The Netherlands), Harmen van Laar (Wageningen, The Netherlands), Johannis P. Kamerling, Johannes F.G. Vliegenthart (Utrecht, The Netherlands) 549 CP-MAS NMR analysis of carbohydrate fractions of soybean hulls and endosperm

Martin Rampp (Regensburg, Germany), Christoph Buttersack (Braunschweig, Germany), Hans-Dietrich Lüdemann (Regensburg, Germany) 561 *c*,*T*-Dependence of the viscosity and the self-diffusion coefficients in some aqueous carbohydrate solutions

Gerald R. Moran, Kenneth R. Jeffrey, Jason M. Thomas, James R. Stevens (Guelph, Ont., Canada) 573 A dielectric analysis of liquid and glassy solid glucose/water solutions

Carole Fraschini, Michel R. Vignon (Grenoble, France) 585 Selective oxidation of primary alcohol groups of β-cyclodextrin mediated by 2,2,6,6-tetramethylpiperidine-1-oxyl radical (TEMPO)

Notes

Marjan Ješelnik, Janez Plavec, Slovenko Polanc, Marijan Kočevar (Ljubljana, Slovenia) 591 Novobiocin-related compounds: synthesis of 3-benzoylamino-2-oxo-2*H*-1-benzopyran-7-yl D-glycopyranosides by the trichloroacetimidate methodology

Toshihiro Kumazawa, Masami Chiba, Shigeru Matsuba, Shingo Sato, Jun-ichi Onodera (Yamagata, Japan) 599 The conversion of 3-*C*-β-D-galactopyranosyl phloroacetophenone to a spiroketal derivative

Christián Di Nardo, Oscar Varela (Buenos Aires, Argentina) 605 Synthesis of furanose derivatives of 3-deoxy-D-*erythro*-2-hexulosonic acid and their 3-bromo and 3-deuterio analogs

Hui Li, Qing Li, Meng-Shen Cai, Zhong-Jun Li (Beijing, PR China) 611 Synthesis of galactosyl and lactosyl derivatives as potential anti-metastasis compounds

Antonio Senso (Barcelona, Spain), Laureano Oliveros (Paris, France), Cristina Minguillón (Barcelona, Spain) 617 Preparation of mixed 10-undecenoyl/phenylaminocarbonyl or benzoyl derivatives of chitosan

Ralph L. Obendorf, Kathryn J. Steadman, David J. Fuller, Marcin Horbowicz, Betty A. Lewis (Ithaca, NY, USA) 623 Molecular structure of fagopyritol A1 (*O*-α-D-galactopyranosyl-(1→3)-D-*chiro*-inositol) by NMR

Deng Chenghua, Yang Xiangliang, Gu Xiaoman, Wang Yan, Zhou Jingyan, Xu Huibi (Wuhan, PR China) 629 A β-D-glucan from the sclerotia of *Pleurotus tuber-regium* (Fr.) Sing

Barbu A. Demian (Richmond, VA, USA) 635 Correlation of the solubility of several aromatics and terpenes in aqueous hydroxypropyl-β-cyclodextrin with steric and hydrophobicity parameters

641 Author Index of Volume 328

645 Subject Index of Volume 328

655 Contents of Volume 328